




I'm not robot



Next

What size battery for relion thermometer

PROBE COVER ORDER FORMCUT OUT AND MAIL TO:MABIS HEALTHCARE INC.1931 NORMAN DRIVEWAUKEGAN, IL 60085Please send packages of disposable probecovers #15-618-000 (100 probes per package). Enclosedis \$5.00 per package plus \$3.00 for shipping and handlingfor each order.PAYMENT METHOD (do not send cash): Check Money OrderPlease ship to:NAME:ADDRESS:CITY: STATE: ZIP:PHONE: () CUT OUT AND MAIL TO:WARRANTY REGISTRATION DEPARTMENT1931 NORMAN DRIVEWAUKEGAN, IL 60085THERMOMETER WARRANTY REGISTRATION(MUST BE COMPLETED WITHIN 10 DAYS OF PURCHASE)NAME:ADDRESS:CITY: STATE: ZIP:PURCHASED FROM:CITY: STATE: ZIP:DATE PURCHASED:MODEL PURCHASED: 144-732-000USER INFORMATION (OPTIONAL) MALE FEMALE AGE:AGE OF YOUNGEST FAMILY MEMBER UNDER 6 MONTHS 6 MONTHS - 1 YEAR 1 - 3 YEARS 3 - 5 YEARS OLDERSpecifications:DISPLAY: Liquid Crystal DisplayDISPLAY RESOLUTION: 4 Digits (1/10TH of a degree increments)MEASUREMENT RANGE: 90.0°F to 111.9°F ACCURACY: ±0.2°F AVERAGE MEASUREMENT TIME: Oral 15.2 seconds. Rectal 10.2 seconds. Axillary 20.8 secondsSTONE: Thermometer beeps when activated and deactivated.A series of beeps signal when peak temperature is reached.MEMORY: Displays last measured temperatureBATTERY: One, 1.55V, AG3 alkalineBATTERY LIFE: Approximately 4,000 measurementsAUTOMATIC SHUT-OFF: After approximately 9 minutesAMBIENT OPERATING TEMPERATURE: 50.0°F to 113.0°FDIMENSIONS: 5-3/16" x 11/16" x 3/8"WEGHT: 0.34 ounces Specifications are subject to change without notice.General Care 1. The thermometer should only be used under the supervision of an adult.2. Do not walk, run or talk during temperature taking.3. Clean the thermometer before and after each use.4. Store the unit in the protective case when not in use.5. Do not bite the thermometer tip.6. Do not store the unit where it will be exposed to direct sunlight, dust or humidity.7. Dropping or subjecting your thermometer to strong shocks should be avoided.8. Do not attempt to disassemble the unit, except to replace the battery.9. If ERR displays and measurement is not attainable, the unit must be replaced.NOTE: Performance of the device may be degraded if: operated outside of stated temperature and humidity range; stored outside of stated temperature and humidity range; thermometer undergoes mechanical shock (drop); patient temperature is below ambient temperature.Changing the BatteryThe battery in your digital thermometer needs to be replaced when the " " symbol appears in the lower right of the display. Replace the battery with a 1.55V, AG3 alkaline or SR41 silver oxide type or equivalent. To replace the battery, 1. Slide the battery cap away from the unit. 2. Using a non-metal pointed tool, carefully remove the battery and insert the new battery with the negative (-) side facing the back side of the unit. 3. Carefully slide the battery cap back into place, making sure that the cap fits snugly to protect the battery compartment from moisture.NOTE: Please properly dispose the battery away from small children and heat.Taking an Oral TemperatureApproximate measurement time: 15 seconds1. Using the diagram on the right, place the thermometer tip under the tongue as near as possible to the heat pocket. The diagram also shows the temperature variables by not placing the tip in the heat pocket area.NOTE: Drinking hot or cold fluids, exercising, smoking or performing other activities may raise or lower your temperature. Therefore, it is important to relax for approximately 5 minutes with your mouth closed prior to taking a reading. 2. The current temperature is shown and the °F will continue to flash during the reading. 3. When the peak temperature has been reached, the °F will stop flashing and the thermometer will sound four sets of five quick beeps. 4. To turn the unit off, press the ON/OFF button. The unit will automatically shut off after approximately nine minutes. NOTE: The mouth must remain closed during the measurement for the most accurate reading. Opening the mouth could result in an extended measurement time and may affect the reading. Cleaning Instructions Before and after each use, clean the thermometer with a soft cloth and 70% isopropyl alcohol diluted with water, or wash with COLD soapy water. An intact unit can be submerged in water or alcohol. However, do not soak for an extended period of time. 1. The unit must never be sterilized by boiling, gas or steam autoclaves. 2. The use of any other solution or cleaning method beyond the above mentioned may result in reliability problems with the thermometer and void your warranty. How to Take Your Temperature 1. Clean and disinfect the thermometer according to the instructions provided. 2. Apply a disposable thermometer tip cover to the clean, dry thermometer. 3. Determine whether the measurement site will be oral, rectal or underarm. NOTE: Measurement time may vary based on the selected site. 4. Press the ON/OFF button (the unit will beep) to activate the thermometer. This is the LCD display test, which insures all parts of the display are functioning properly. Continue to hold the button down and in approximately 2 seconds the display will show the last recorded temperature as follows. This display shows the last temperature reading. Within approximately 2 seconds of releasing the button or if no reading is stored in memory, the display will read as follows. This display denotes normal operation. "Err" denotes a malfunction. The Lo with the flashing of indicates the thermometer is ready to take a temperature reading. THERMOMETER TIP ON/OFF BUTTON HEAT POCKET HEAT POCKET 98.4°F 98.4°F 98.8°F 98.8°F 97.9°F 97.7°F 97.9°F 98.1°F FAST 10-Second Digital Thermometer Thank you for purchasing a ReliOn® Digital Thermometer. Please read the following instructions to achieve the most accurate temperatures and safe operation. With proper care and use, your thermometer will provide you with years of reliable readings. What is a "Normal" Temperature? Although the generally accepted "normal" temperature reading is 98.6°F, temperature readings can vary from 97°F to 99°F and still may be considered "normal". Variations in temperature can be attributed to activities such as exercise, smoking, eating and drinking. Even time of day may influence your temperature. For example, your temperature is lower in the morning than in the afternoon. Other variations may be due to the location of the temperature reading. While the oral temperature follows the guidelines previously described, a rectal temperature is generally 1.0°F higher. Conversely, an axillary (under the arm) temperature will be 1.0°F lower. Features of your ReliOn® Digital Thermometer Taking an Axillary Temperature (under the arm) Approximate measurement time: 20 seconds 1. Wipe the underarm with a dry towel. 2. Place the thermometer tip under the arm so the tip is touching the skin with the thermometer perpendicular to the body. 3. Position the arm across the chest so the thermometer tip is well covered by the arm. This also insures the thermometer tip is not affected by the room's air. 4. When the peak temperature has been reached, the °F will stop flashing and the thermometer will sound four sets of five quick beeps. 5. To turn the unit off, press the ON/OFF button. The unit will automatically shut off after approximately nine minutes. NOTE: Axillary temperatures are generally 1.0°F lower than oral readings. Taking a Rectal Temperature Approximate measurement time: 10 seconds NOTE: Rectal temperatures are an appropriate and reliable method for infants and small children. Otherwise, this method should only be used when it is impossible or impractical to take an oral or axillary temperature. 1. After applying the disposable thermometer tip cover, apply a water-soluble lubricant to the tip. 2. Gently insert the thermometer tip a MAXIMUM of 1/2" into the rectum. 3. When the peak temperature has been reached, the °F will stop flashing and the thermometer will sound four sets of five quick beeps. 4. To turn the unit off, press the ON/OFF button. The unit will automatically power down after approximately ten minutes. NOTE: Rectal temperatures are generally 1.0°F higher than oral readings. DIGITAL DISPLAY WINDOW Manufactured for: MABIS Healthcare Inc. 1931 Norman Drive Waukegan, IL 60085 USA www.mabis.net Meets ASTM Standard E1112 Made in China ReliOn® is a trademark under license by MABIS Healthcare Inc. LIFETIME LIMITED WARRANTY This ReliOn® Digital Thermometer is guaranteed to be free from manufacturing defects for the life of the original registered purchaser under normal use. This limited warranty does not apply to use in any clinical or commercial applications. If the unit fails to operate during the lifetime of the original registered purchaser, return it postage prepaid to: Repair Department, 1931 Norman Drive, Waukegan, IL 60085. If ReliOn® determines that the unit failed to operate due to a manufacturing defect, the unit will be repaired or replaced at the option of ReliOn®. Repair or replacement of the unit is the sole remedy under this limited warranty. This warranty gives you specific legal rights, which vary from state to state. As a condition of this warranty, the enclosed warranty registration card must be completed and sent to us within 10 days of the purchase date. This Limited Warranty constitutes ReliOn®'s only responsibility and obligation to repair and/or replace materials or components. We make no other express or implied warranties, arising by operation of law or otherwise, or any warranty of merchantability or fitness for a particular use or purpose whether or not the use or purpose has been disclosed to ReliOn® in specifications, drawings or otherwise, and whether or not ReliOn®'s products are specifically designed and/or manufactured by ReliOn® for the buyer's use or purposes, except for the limited warranty stated above. ReliOn® will not be responsible for any indirect, incidental, special, consequential, or punitive damages or other loss, including, but not limited to, damage to or loss of other property or equipment and personal injuries, whether to purchaser or others. ReliOn® shall in no event be liable to the purchaser for any amount in excess of the cost of repair and/or replacement of the unit. #144-ACT2030 05/04 ©2004 ReliOn® BATTERY COVER Using Disposable Thermometer Tip Covers It is recommended to use the enclosed disposable thermometer tip covers to pre-vent cross contamination. ReliOn® thermometer tip covers can be purchased from your local Wal-Mart retailer or with the order form provided. NOTE: This order form is for shipments within the United States and Canada.

